



Ujamoto®

VC1700-8 class



2-3 Needles Cylinder Bed Interlock Stitch Machine

오염방지(미세급유)기술력과 다양한 종류의 바느질은 당신에게
높은 품질을 제공합니다.

타이트함




풀어짐



높은 기술 부분과 적은 주유(윤활)


윤활의 양과 마찰의비교



높은 기술을 사용하면서 마찰을 줄이는 새로운 특별한 공정을 준다.

기계의 바늘대 윤활의 양을 철저하게 줄이는 것이 가능하다.

기름 얼룩을 억제한다.




오일 스피링에 의해 더이상의 누수는 없다.

오일 스피링은 바늘대, 누름대등 위에 자리하고 있다.

언제 어느 장소에서 사용 할 때 가장 적은 양의 오일을 나타낸다.

실린더로 부터 오일 누수 방지. !




실린더 안에 오일을 강제적으로 맞춘다.

실린더 안에 오일을 강제적으로 맞춘다.

실린더 안에 오일을 펌프로 맞춘다.

강한 윤활 시스템을 진행 시킨다.




"강력한 윤활 시스템" 크랭크 샤프트를 통해 커넥팅 로드 표면에 직접적으로 기름을 공급한다.

이 장치는 가동시 적은 소음을 낸다.


편안한 박음질 강한 박음질

다양한 제공





기본 바느질에 탄력 있는 바느질로 부터 능동적인 사절 조작을 다양하게 제공한다.

● 미세 합성섬유를 위한 적합하고 편안한 박음질.



● 공간의 자유로운 끝맺음




Tightened



Loosened


간단한 유지, 보수.



쉽게 변경 가능한 바늘대 스트로크 (31mm-33mm)

바늘대 스트로크는 바늘대 위에, 핀을 간단히 돌려서, 31mm-33mm로 변경 가능하다.

이 획기적인 시스템은 원단 무게의 변화, 전환시 시간 절약을 위한 것이다.



사절 캠으로 쉽게 사절하고, 고장이 없다.

루빠와 사절 아일렛으로 인해 사절이 쉽다.

특별한 브러쉬가 사절루빠 주위 공간으로부터 실을 막는다.




새로운 발 리프터 레버 방식.

바깥쪽 레버(오버록 기계의 그것과 유사하다) 위 커버의 재움직임 없이 발 리프트로 적용되고 쉽게, 작업이 가능하다.

■ Numbering on Model

VC1700-156M-8/UT-A34/ST2-A




- ① Symbol of Series
- ② Class No.
- ③ Number of Needle: 7 = 2·3 needle
- ④ Submodel
- ⑤ Top Cover Thread Mechanism: 1 = with Top Cover Thread Mechanism
- ⑥ Needle Distance: 40 = 4.0mm(2 needles), 48 = 4.8mm, 56 = 5.6mm, 64 = 6.4mm
- ⑦ Shape of Stitch Tongue on Stitch Plate
- ⑧ Special Specification
- ⑨ Devices

■ Specification


Model	Seam									
VC1700-8		UY128GAS		(4.0) 4.8			1:0.3~1:2.9		31	6,000
VC1713-8		3 (2)	5 (4)	5.6 6.4	1.4~3.6			7.5 (MAX)	31	6,000

■ Devices

UT-A□□C : Air operated under thread trimmer
ST2-AC : Air operated top cover thread trimmer



UT - AC



ST2 - AC

YAMATO SEWING MACHINE MFG. CO., LTD.
<http://www.yamato-sewing.com>

YAMATO U.S.A. INC.
YAMATO EUROPE GmbH.
YAMATO (HONG KONG) CO., LTD.
雅满桃(香港)有限公司 东莞代表处
大和缝纫机(宁波)有限公司
大和缝纫机制造株式会社 青岛事务所
大和缝纫机制造株式会社 上海事务所
YAMATO SINGAPORE PTE LTD.

TEL:+1-803-548-0334/FAX:+1-803-548-0405
TEL:+49-40-355347-0/FAX:+49-40-354371/E-mail:sales@yamato.de
TEL:+852-2721-0251/FAX:+852-2723-0444/E-mail:yamato@yamato-sewing.com.hk
TEL:+86-769-86231363/FAX:+86-769-86231362
TEL:+86-574-86800518,86800558/FAX:+86-574-86800555/E-mail:marketing@yamato-sewing.com.cn
TEL:+86-532-85783175/FAX:+86-532-85783172
TEL:+86-21-64400017,64400019/FAX:+86-21-64400021
TEL:+65-6287-1955/FAX:+65-6287-1028/E-mail:sales@yamato-sewing.com.sg

HEAD OFFICE

4-12, 4-CHOME, NISHI-TENMA, KITA-KU, OSAKA, 530-0047, JAPAN
TEL:+81-6-6364-5621 / FAX:+81-6-6364-7185 / E-mail:export-dept@yamato-sewing.com

YAMATO SINGAPORE PTE LTD., INDIA LIAISON OFFICE, TIRUPUR MAIN BRANCH TEL:+91-421-4333701/FAX:+91-421-4333702/E-mail:yamato-sewing@airtelbroadband.in
YAMATO SINGAPORE PTE LTD., INDIA LIAISON OFFICE, DELHI BRANCH TEL:++91-11-41603280/FAX:+91-11-41603281
YAMATO SINGAPORE PTE LTD., CUSTOMER SERVICE CORRESPONDENT IN JAKARTA, INDONESIA FAX:+62-21-781-8727
YAMATO SINGAPORE PTE LTD., BANGLADESH LIAISON OFFICE TEL:+88-02-871-4581,871-4579/FAX:+88-02-871-4579
YAMATO MEXICO OFFICE TEL:+52-55-5764-9090/FAX:+52-55-5578-1470
THE RESIDENT REPRESENTATIVE OFFICE OF YAMATO SEWING MACHINE MFG. CO., LTD IN HO CHI MINH CITY TEL: :+84-8-62966057/FAX: :+84-8-38113384